## **COMSOL® Software - Release Highlights History**

COMSOL Multiphysics® Software							
Geometry and Mesh	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
Virtual geometry operations	✓	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Image import	✓	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>	<b>1</b>	<b>1</b>
STL export	✓	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
NASTRAN® program mesh export	✓	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>	<b>1</b>	<b>1</b>
Loft, fillet, chamfer, thickening, and midsurfacing with the Design Module		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
New tetrahedral mesher		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Element quality optimizer		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Performance improvements for large models by a factor of 5 or more			<b>√</b>	<b>√</b>	<b>1</b>	<b>1</b>	<b>1</b>
Automatic removal of geometric detail for more flexible meshing			<b>√</b>	<b>√</b>	<b>1</b>	<b>1</b>	<b>1</b>
Automatic pyramid transitions from hex to tet elements			<b>√</b>	<b>√</b>	<b>1</b>	<b>1</b>	<b>1</b>
Parametric models with user-defined functions			<b>√</b>	<b>√</b>	<b>1</b>	<b>1</b>	<b>1</b>
Extended mesh adaption and refinement for all element types and imported meshes				<b>√</b>	<b>1</b>	<b>1</b>	<b>1</b>
New sketching tools for 2D drawings					<b>1</b>	<b>1</b>	<b>1</b>
Dimensions and constraints for new sketch tools with Design Module					<b>√</b>	<b>√</b>	<b>1</b>
Associative geometry import					<b>√</b>	<b>√</b>	<b>√</b>
Direct Meshing of imported surface meshes					<b>√</b>	<b>√</b>	<b>1</b>
Import and export 3MF and PLY file formats					<b>√</b>	<b>1</b>	<b>1</b>
Editing of imported meshes						<b>√</b>	<b>1</b>
Organize geometry objects and operations in groups							<b>√</b>
Construction geometry for easier geometry creation							<b>√</b>
Offset and thicken for curves in 2D							<b>√</b>
Union and boundary layer operations for imported meshes							<b>1</b>



<sup>\*4.2-4</sup> includes 4.2, 4.2a, 4.3, 4.3a, 4.3b, and 4.4 versions.

<sup>\*5.0-2</sup> includes 5.0, 5.0.1, 5.1, 5.2, and 5.2a versions.

<sup>\*5.3</sup> includes 5.3 and 5.3a versions.

Modeling Tools	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
Coordinate-based selections	<b>√</b>		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Automatic curvilinear coordinate systems	<b>√</b>		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
New COMSOL Desktop® environment	✓		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Material sweeps			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Open and inspect MPH-files without add-on licenses			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Autocomplete for parameters, variables, and equations			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Model methods for programming Model Builder tasks			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
PDE modeling with the boundary element method (BEM)			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Copy-paste physics interfaces or model components			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Model methods in the model tree with input arguments			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Colored selections for geometry and physics				<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Multiple Parameter nodes and Parameter Cases				<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Node groups for organizing the model tree				<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Custom settings windows				<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Clip planes for easier selection inside complex CAD models						<b>√</b>	<b>1</b>
Context menus in the graphics window						<b>√</b>	<b>1</b>
Studies and Solvers	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
Time-dependent adaptive meshing	<b>√</b>		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Automatic remeshing	<b>√</b>		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Cluster sweeps and cloud computing	<b>√</b>		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Multiparameter sweeps	<b>√</b>	<b>✓</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Smoothed AMG solver		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Optimized domain decomposition solver		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Model reduction based on modal analysis and asymptotic waveform evaluation (AWE)			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Algebraic multigrid (AMG) solver for CFD			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Combine two solutions into one			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Direct and iterative solver suggestions			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Several times faster solving in the Windows® operating system				<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>

Parameter sweeps over Parameter Cases				$\checkmark$	$\checkmark$	$\checkmark$	
Optimization for parametric sweeps with derivative-free methods				<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Distributed solution data storage on clusters					<b>√</b>	<b>√</b>	<b>√</b>
Multigrid performance improvements on clusters					<b>√</b>	<b>√</b>	<b>1</b>
New IPOPT optimization solver						<b>√</b>	<b>1</b>
Craig-Bampton method for model reduction							<b>1</b>
Results and Visualization	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
Report Generator	✓	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Interactive slice and isosurface plots	✓	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>	<b>1</b>
Reports on Microsoft® Word® program format	✓	<b>√</b>	<b>√</b>	<b>1</b>	<b>√</b>	<b>1</b>	<b>1</b>
2D and 3D annotations		<b>1</b>	<b>√</b>	<b>1</b>	<b>√</b>	<b>1</b>	<b>1</b>
1D annotations		<b>1</b>	<b>√</b>	<b>1</b>	<b>√</b>	<b>1</b>	<b>1</b>
Annotations with LaTeX formatting		<b>1</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>	<b>1</b>
VTK format export		<b>1</b>	<b>√</b>	<b>1</b>	<b>√</b>	<b>1</b>	<b>1</b>
6 new color tables		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>	<b>1</b>
Selections for plotting a subset of the geometry			<b>√</b>	<b>1</b>	<b>√</b>	<b>1</b>	<b>1</b>
1D plots with two different quantities on y-axes			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Step between solutions using toolbar buttons			<b>√</b>	<b>1</b>	<b>√</b>	<b>1</b>	<b>1</b>
3Dconnexion® SpaceMouse® device support			<b>√</b>	<b>1</b>	<b>√</b>	<b>√</b>	<b>1</b>
Cividis color table for people with color vision deficiency			<b>√</b>	<b>1</b>	<b>√</b>	<b>1</b>	<b>1</b>
Save plots in models for faster rendering			<b>√</b>	<b>1</b>	<b>√</b>	<b>√</b>	<b>1</b>
Export animations in the WebM video format			<b>√</b>	<b>1</b>	<b>√</b>	<b>1</b>	<b>1</b>
Arrows on streamlines				<b>1</b>	<b>√</b>	<b>1</b>	<b>1</b>
Evaluation groups				<b>1</b>	<b>√</b>	<b>1</b>	<b>1</b>
glTF™ file export				<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Report templates				<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Animated spheres and arrows on Streamline plots					<b>√</b>	<b>√</b>	<b>1</b>
Link from PowerPoint® to import COMSOL® model images					<b>√</b>	<b>√</b>	<b>1</b>
PLY and 3MF export of plots					<b>_</b>	<b>1</b>	<b></b>

						/	
Realistic material rendering of plastics, metals, and organic materials						<b>V</b>	<b>V</b>
Partial transparency in visualizations						<b>√</b>	<b>V</b>
New and improved color tables, including logarithmic scale							<b>✓</b>
Ambient occlusion and transparency with Fresnel transmittance							<b>✓</b>
Generate reports as Microsoft® PowerPoint® presentations							<b>✓</b>
Application Builder	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
NEW Workspace: Application Builder		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Send email from applications		$\checkmark$	<b>√</b>	<b>√</b>	<b>1</b>	<b>1</b>	<b>1</b>
50+ demo applications in the Application Libraries		<b>✓</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Interactive data picking in graphics			<b>√</b>	<b>√</b>	<b>1</b>	<b>√</b>	<b>√</b>
OS command line arguments				<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Local declarations and methods in forms				<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
NEW Product: COMSOL Compiler™				<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Add-ins to COMSOL Multiphysics					<b>√</b>	<b>√</b>	<b>1</b>
Templates for standardized layouts for desktops, tablets, and smartphones						<b>√</b>	<b>1</b>
Control knob form object						<b>√</b>	<b>1</b>
Interactive design of menus and ribbon toolbars							<b>1</b>
Model Manager	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
NEW Workspace: Model Manager							<b>√</b>
Organize models and apps, access and version control							$\checkmark$
Asset management with web browser access							<b>1</b>
	·						
COMSOL Multiphysics® Platform and Hardware Support	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
General Windows®, macOS, and Linux® operating system support	✓	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Run apps on all major web browsers		<b>✓</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Windows® 10 operating system support		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
3Dconnexion® SpaceMouse® device support			<b>√</b>	<b>1</b>	<b>/</b>	<b>√</b>	<b>/</b>
Windows® 11 operating system support							<b>1</b>
macOS operating system support on M1 processors							1

COMSOL Server™ Product	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
NEW Product: COMSOL Server™		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\overline{\hspace{1cm}}$
Run apps with COMSOL Client for Windows® operating system or web browsers		<b>√</b>	$\checkmark$		$\checkmark$	$\checkmark$	$\overline{\hspace{1cm}}$
Allow coworkers and customers worldwide to run COMSOL applications		<b>√</b>	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Custom COMSOL Server™ themes for branding		<b>√</b>	$\checkmark$			$\checkmark$	$\overline{\hspace{1cm}}$
Centralized cluster settings			$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Usage log text file			$\checkmark$			$\checkmark$	$\overline{\hspace{1cm}}$
Automatic login to COMSOL Server™			$\checkmark$			$\checkmark$	$\checkmark$
Live search in the Application Library page				<b>√</b>	<b>√</b>	$\checkmark$	
Send notifications to users as email						$\checkmark$	$\checkmark$
Updated appearance with new colors						$\checkmark$	
Automatically release licenses when software is idle					$\checkmark$	$\checkmark$	
ELECTROMAGNETICS	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
Lumped ports and R,L,C,S parameter matrices	$\checkmark$	<b>√</b>	$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Multiphysics interface for electrostatic-structural interactions	$\checkmark$	$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Multiphysics interface for piezoresistivity	$\checkmark$	$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Inductively coupled and microwave plasmas	$\checkmark$	$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
NEW Product: Wave Optics Module	$\checkmark$	$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
NEW Product: Semiconductor Module	$\checkmark$	$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Nonlinear magnetic material library with 160 materials	$\checkmark$	$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Multiphysics interface for laser heating	$\checkmark$	$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Multiphysics interface for optoelectronics		$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
NEW Product: Ray Optics Module		$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Coil analysis tools		$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Optical materials database with over 1400 materials		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Multiphysics interface for ray heating		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
User-defined materials written in C		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Smith plots		<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$	<b>√</b>	<b>_</b>

ELECTROMAGNETICS	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
Magnetic vector hysteresis material model		$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Optical aberration plots		<b>✓</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
Electrostatics based on the boundary element method (BEM)			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
Accelerated computation of capacitance matrix and other lumped matrices			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Part Library with waveguides, surface-mount footprints, and SMA connectors			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Photometric data file import for ray optics			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Schrödinger equation interfaces			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Revolutionary new method for capacitively coupled plasma (CCP) simulations			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Hybrid boundary-element-finite-element method (BEM-FEM) for magnetic field analysis			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Soft magnet material model of permanent magnets			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Adaptive frequency sweep for high-frequency electromagnetics			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Library of more than 60 RF and microwave substrate materials from Rogers Corporation			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Electric currents in layered shells				<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Part Library for coils and magnetic cores				<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Far-field analysis for transient models				<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
High-definition Part Library for ray optics				<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Optical dispersion models for ray optics				<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
New algorithm for computing ray intensity and power				<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Wavelength distributions at ray releases for polychromatic light				<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Multiphysics interface for Schrödinger-Poisson Equation				<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Lorentz coupling multiphysics for electroacoustic transducers					<b>√</b>	<b>√</b>	<b>√</b>
Hard magnetic materials library for permanent magnets					<b>√</b>	<b>√</b>	$\checkmark$
Full-wave and ray optics simulation coupling					<b>√</b>	<b>√</b>	<b>√</b>
Mixed-mode S-parameters					<b>√</b>	<b>√</b>	<b>√</b>
Spot Diagram plot					<b>√</b>	<b>√</b>	<b>√</b>
New interface for detecting electrical breakdown					<b>√</b>	<b>√</b>	<b>✓</b>
New tools for corona discharge in electrostatic precipitators					<b>√</b>	<b>√</b>	<b>√</b>
Density-gradient formulation for semiconductor device simulations					<b>√</b>	<b>√</b>	<b>√</b>

ELECTROMAGNETICS	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
Parasitic inductance computations with L-matrix extraction						<b>√</b>	<b>√</b>
Material models for laminated iron cores used in motors and transformers						<b>√</b>	<b>√</b>
Ferroelectric material model for electrostatics						<b>√</b>	<b>√</b>
Faster ray tracing, scattering in domains and from surfaces for ray optics						<b>√</b>	<b>√</b>
Computation of frequency-dependent resistance and inductance matrices for PCBs							<b>√</b>
Adaptive and physics-controlled meshing for microwave and mmWave circuits on PCBs							<b>√</b>
Hybrid boundary-element-finite-element method (BEM–FEM) for antennas and electromagnetic wave propagation							<b>√</b>
Composite electromagnetic shielding materials							$\checkmark$
Nonlinear magnetic materials for RF and microwave components							$\checkmark$
New tools for electric motors including a Part Library and efficient torque calculations							<b>√</b>
Magnetomechanics analysis for strongly coupled structural and magnetic multiphysics simulations							<b>√</b>
Optical material library with glasses from leading manufacturers							<b>√</b>
HEAT TRANSFER	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
HEAT TRANSFER  Multilayered shells	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
	4.2-4 ✓	5.0-2					6.0 ✓
Multilayered shells	4.2-4 ✓  ✓	5.0-2 ✓  ✓		<b>√</b>	<b>√</b>	<b>√</b>	6.0 ✓
Multilayered shells Fans and grilles	4.2-4 ✓  ✓  ✓	5.0-2 ✓ ✓ ✓		<b>√</b>	<b>√</b>	<b>√</b>	6.0 ✓  ✓  ✓
Multilayered shells Fans and grilles Solar irradiation	<b>4.2-4</b> ✓  ✓  ✓  ✓	5.0-2 ✓ ✓ ✓ ✓ ✓		✓ ✓ ✓	✓ ✓ ✓	✓ ✓ ✓	6.0 ✓ ✓ ✓ ✓ ✓
Multilayered shells Fans and grilles Solar irradiation Moist air and condensation	4.2-4  ✓  ✓  ✓  ✓  ✓	5.0-2 ✓ ✓ ✓ ✓ ✓ ✓ ✓	√ √ √	√ √ √	√ √ √	√ √ √	6.0 ✓ ✓ ✓ ✓ ✓ ✓
Multilayered shells Fans and grilles Solar irradiation Moist air and condensation Multiwavelength radiation	<b>4.2-4</b> ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓	5.0-2  ✓  ✓  ✓  ✓  ✓  ✓  ✓	√ √ √	√ √ √ √	√ √ √ √	√	6.0 ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
Multilayered shells Fans and grilles Solar irradiation Moist air and condensation Multiwavelength radiation Phase change	4.2-4	5.0-2 ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	√ √ √	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓	✓ ✓ ✓ ✓	6.0 ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
Multilayered shells Fans and grilles Solar irradiation Moist air and condensation Multiwavelength radiation Phase change Thermal contact with surface roughness	4.2-4	5.0-2  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓	√ √ √	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓	6.0 ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
Multilayered shells Fans and grilles Solar irradiation Moist air and condensation Multiwavelength radiation Phase change Thermal contact with surface roughness Multiphysics interface for the thermoelectric effect	4.2-4	5.0-2  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓	√ √ √	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓	6.0 ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
Multilayered shells Fans and grilles Solar irradiation Moist air and condensation Multiwavelength radiation Phase change Thermal contact with surface roughness Multiphysics interface for the thermoelectric effect Bioheating with damage integral analysis	<b>4.2-4</b> ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓	5.0-2	√ √ √	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓	6.0 ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
Multilayered shells Fans and grilles Solar irradiation Moist air and condensation Multiwavelength radiation Phase change Thermal contact with surface roughness Multiphysics interface for the thermoelectric effect Bioheating with damage integral analysis Nonisothermal flow in porous media	4.2-4	5.0-2	√ √ √	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓	6.0 ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
Multilayered shells Fans and grilles Solar irradiation Moist air and condensation Multiwavelength radiation Phase change Thermal contact with surface roughness Multiphysics interface for the thermoelectric effect Bioheating with damage integral analysis Nonisothermal flow in porous media Algebraic turbulence models	4.2-4	5.0-2	√ √ √	✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓	✓ ✓ ✓ ✓ ✓ ✓	6.0 ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓

HEAT TRANSFER	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
Surface-to-surface radiation symmetry for perpendicular planes			<b>√</b>	$\checkmark$	<b>√</b>	<b>√</b>	$\checkmark$
Irreversible transformations in solids			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
New Moisture Flow multiphysics coupling			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
New inflow boundary condition based on known upstream conditions			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Beer-Lambert law for absorption of light in weakly absorbing media			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Mixed diffuse-specular reflections and semitransparent surfaces				<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Heat transfer in thin, layered structures				<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Arbitrary number of spectral bands for surface-to-surface radiation				<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Light-diffusion equation interface				<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Thermal insulation for interior boundaries				<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Ambient Thermal Properties tool				<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Dedicated plots for temperature discontinuities				<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
NEW Product: Metal Processing Module					<b>√</b>	<b>√</b>	$\checkmark$
Lumped Thermal System interface					<b>√</b>	<b>√</b>	<b>√</b>
Multiple spectral bands for radiation in participating media					<b>√</b>	<b>√</b>	<b>√</b>
Surface-to-Surface radiation with ray shooting method					<b>√</b>	<b>√</b>	<b>√</b>
Multiphysics coupling for heat transfer in thin structures					<b>√</b>	<b>√</b>	<b>√</b>
Directional surface properties for heat radiation						<b>√</b>	<b>√</b>
Phase change interfaces						<b>√</b>	<b>√</b>
10x increased efficiency in solving surface-to-surface radiation							<b>√</b>
Multiscale modeling of heat transfer in pellet beds							<b>√</b>

STRUCTURAL MECHANICS	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
Prestressed analysis	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Thin-film damping for MEMS	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
NEW Product: Geomechanics Module	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Multiphysics interface for MEMS thermoelasticity	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Load cases	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Membranes	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Cyclic and Floquet periodicity	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
NEW Product: Nonlinear Structural Materials Module	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b></b>
NEW Product: Fatigue Module	<b>√</b>	$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
Bolt pretension	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>_</b>
NEW Product: Multibody Dynamics Module	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
Rotordynamic forces	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>_</b>
Multiphysics interface for hygroscopic swelling		$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
Nonlinear elastic materials		$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Orthotropic, anisotropic, and hyperelastic membranes		$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Multiphysics interfaces for multibody dynamics with heat transfer and acoustics		$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
NEW Product: Rotordynamics Module		$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Multiphysics interface for thermoelastic damping in MEMS		$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
User-defined materials written in C		$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Adhesion and decohesion for mechanical contact		$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Multiphysics interface for magnetostriction		$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
New plasticity material models		$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Stress linearization evaluation of membrane, bending, and peak stress			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Automatic suppression of rigid body motion			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Computation of safety factors for 12 safety criteria			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Frequency response of mechanical contact models			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>✓</b>
Material models for porous plasticity			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>✓</b>
Vibration fatigue analysis			<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>	$\checkmark$

STRUCTURAL MECHANICS	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
Rotor bearing system simulator application			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
Shape memory alloy (SMA) material models			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Generalized multiphysics interface for fluid-structure interaction (FSI)			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Bolt thread contact modeling			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Solid-beam connection in 3D models			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Generalized plane strain formulation			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Cam-Follower condition for multibody dynamics			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Lumped Mechanical System interface			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Ball and roller bearings for rotordynamics simulations			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
NEW Product: Composite Materials Module				<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Composite material analysis based on layerwise and equivalent single layer theory				<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Response spectrum analysis				<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Representative volume elements (RVE) for homogenization of periodic materials				<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Shell interface for axisymmetric analysis				<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Multiphysics interface for fluid-structure interaction with shells , membranes, and composite materials				<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Multiphysics interface for fluid-structure interaction with structural assemblies and multibody dynamics				<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Multiphysics interface for acoustic-structure interaction for composite materials				<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Multiphysics interface for thermal expansion in composite materials				<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Multiphysics interface for Joule heating in composite materials				<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Multiphysics interface for thermoelectric effect in composite materials				<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Activation of material for additive manufacturing				<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Flexible formulation for rigid connectors and attachments				<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Mullins effect for hyperelastic materials				<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Continuum-based damage model for brittle materials				<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
New modeling options for hyperelastic materials with low compressibility				<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Mean stress correction for fatigue analysis based on the Goodman, Gerber, and Soderberg methods				<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Multiphysics interface for electromechanics with structural FEM and electrostatics BEM				<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Contact modeling extended to Shell, Layered Shell, and Membrane interfaces					<b>√</b>	<b>√</b>	<b>√</b>

STRUCTURAL MECHANICS	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
Random vibration analysis					<b>√</b>	<b>√</b>	<b>√</b>
Nonlinear materials in Shell and Layered Shell interfaces					<b>√</b>	<b>√</b>	<b>1</b>
Multiphysics interface for FSI with heat transfer					<b>√</b>	<b>√</b>	<b>√</b>
FSI for two-phase flow					<b>√</b>	<b>√</b>	<b>1</b>
Mechanical analysis of pipes					<b>√</b>	<b>√</b>	<b>√</b>
Piezoelectric material in layered shells					<b>√</b>	<b>√</b>	<b>√</b>
Roller chain sprocket modeling					<b>√</b>	<b>√</b>	<b>√</b>
Automatic setup of rigid domains and gears					<b>√</b>	<b>✓</b>	<b>1</b>
Mechanical contact: transient contact and wear modeling						<b>√</b>	$\checkmark$
Crack modeling and phase-field-based damage simulation						<b>✓</b>	<b>1</b>
Poroelasticity in composite shells						<b>✓</b>	<b>1</b>
Embedded reinforcements for anchors, rebars, and wire meshes						<b>√</b>	<b>1</b>
Automatic generation of joints for multibody dynamics						<b>√</b>	<b>√</b>
Rigid body contact						<b>√</b>	<b>1</b>
Active magnetic bearings for rotordynamics						<b>√</b>	<b>1</b>
Ferroelectric elasticity						<b>√</b>	<b>1</b>
Nonlinear piezoelectricity with hysteresis						<b>√</b>	<b>√</b>
10x faster solving for creep and faster solving for nonlinear structural materials							<b>√</b>
Easier modeling of mechanical contact with automated generation of pairs and contact conditions							<b>1</b>
Reduced-order modeling with component mode synthesis (CMS)							<b>1</b>
Improved modeling of shells in imported CAD assemblies							<b>√</b>
Fatigue evaluation for random vibrations							<b>1</b>
Contact with friction in crack modeling							<b>1</b>
Fiber-reinforced linear elastic materials							<b>1</b>
Wrinkling in membranes							<b>1</b>

ACOUSTICS	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
Multiphysics interface for acoustic-piezo interactions	<b>√</b>	$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
Multiphysics interface for acoustic-shell interactions	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
Multiphysics interface for poroelastic waves	<b>√</b>	$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
Multiphysics interface for thermoviscous acoustic-solid interactions	<b>√</b>	<b>✓</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
Multiphysics interface for pipe acoustics	<b>√</b>	<b>✓</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
Multiphysics interface for membrane-acoustic interactions	<b>√</b>	<b>✓</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
Multiphysics interface for thermoviscous acoustic-shell interactions	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
Aeroacoustics with linearized Euler equations	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
Ray acoustics		<b>✓</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
Aeroacoustics with linearized Navier-Stokes equations		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
Octave plots		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
Discontinuous Galerkin method for ultrasound with background flow		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
Directivity plots		<b>✓</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
Perfectly matched layers (PMLs) for pressure acoustics in the time domain			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
Beam width calculations for far-field plots			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
Thermoviscous acoustics in the time domain			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
Hybrid BEM-FEM for acoustics and acoustic-structure interactions			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Impulse response analysis for ray acoustics			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Port boundary conditions for pressure acoustics				<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Nonlinear acoustics Westervelt model for high sound pressure levels				<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Atmosphere and ocean attenuation material models				<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Multiphysics BEM-FEM coupling to thermoviscous acoustics and poroelastic waves				<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Multiphysics BEM-FEM coupling to poroelastic waves				<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
New Elastic Waves, Time Explicit interface					<b>√</b>	<b>√</b>	$\checkmark$
Acoustic-structure interaction for time explicit interfaces					<b>√</b>	<b>√</b>	<b>√</b>
Ports for thermoviscous acoustics					<b>√</b>	<b>√</b>	$\checkmark$
Background fluid flow coupling and mapping study for aeroacoustics					<b>√</b>	<b>√</b>	<b>√</b>
New solvers for large frequency-domain acoustic problems					<b>√</b>	<b>√</b>	$\checkmark$

ACOUSTICS	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
Acoustic-Pipe Acoustic Connection multiphysics coupling					<b>√</b>	<b>√</b>	$\checkmark$
Nonlinear acoustics for high-intensity ultrasound						<b>√</b>	$\checkmark$
Sound distortion in mobile device loudspeakers due to nonlinear thermoviscous effects						<b>√</b>	<b>1</b>
Mechanical port conditions for analyzing vibration paths and mechanical feedback						<b>√</b>	<b>1</b>
New boundary element method (BEM) formulation for large scattering models, including sonar applications						<b>√</b>	<b>1</b>
Room acoustics metrics including reverberation time, definition, and clarity using ray acoustics						<b>√</b>	<b></b>
Faster impulse response for ray acoustics						<b>√</b>	<b></b>
Waveform Audio File Format (.wav) export						<b>√</b>	<b></b>
Multiphysics interface for piezoelectric waves using a time-explicit method							<b></b>
Flow-induced noise with large eddy simulation (LES) CFD							<b></b>
Physics-controlled mesh functionality for pressure acoustics							<b></b>
High-frequency pressure acoustics interfaces for scattering and radiation							<b>1</b>
Easy-to-use perfectly matched boundary radiation condition							<b></b>
Mode analysis on cross sections for aeroacoustics							<b>1</b>
				.!			
FLUID FLOW	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
High Mach number flow	<b>√</b>						
NEW Product: Microfluidics Module	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
k-omega turbulence model	<b>√</b>	<b>1</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Euler-Euler two-phase flow	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b></b>
Slip flow	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
NEW Product: Pipe Flow Module	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b></b>
Automatic boundary layer meshing	<b>√</b>	<b>1</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Turbulent mixing and reacting flow	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
SST turbulence	<b>V</b>	<b>√</b>	<b>√</b>	<b>1</b>	<b>√</b>	<b>√</b>	<b></b>
Thin screens	<b>V</b>	<b>√</b>	<b>√</b>	<b>1</b>	<b>√</b>	<b>√</b>	<b>1</b>
NEW Product: Molecular Flow Module	<b>V</b>	<b>1</b>	<b>√</b>	<b>_</b>	<b>√</b>	<b>√</b>	<b></b>
Wall surface roughness for turbulent flow	1	<b>/</b>	<b>_</b>	<b></b>	<b>/</b>	<b>1</b>	<b>/</b>

FLUID FLOW	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
Anisotropic porous media flow	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
NEW Product: Mixer Module	<b>√</b>	<b>1</b>	<b>√</b>	<b>1</b>	<b>√</b>	<b>√</b>	$\checkmark$
Algebraic turbulence models		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Turbulence with grilles and fans		<b>1</b>	<b>√</b>	<b>1</b>	<b>√</b>	<b>√</b>	$\checkmark$
Cavitation for thin film flow		$\checkmark$	<b>√</b>	<b>1</b>	<b>√</b>	<b>√</b>	<b>√</b>
3D laminar flow to 1D pipe flow connection		<b>✓</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Coupled porous media and turbulent flow		<b>√</b>	<b>√</b>	<b>1</b>	<b>√</b>	<b>√</b>	$\checkmark$
Three-phase laminar flow		<b>✓</b>	<b>√</b>	<b>1</b>	<b>√</b>	<b>√</b>	
Easy definition of gravity and buoyancy effects		<b>✓</b>	<b>√</b>	<b>1</b>	<b>√</b>	<b>√</b>	<b>_</b>
v2-f turbulence model			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>_</b>
Automatic wall treatment for turbulent flow			<b>√</b>	<b>1</b>	<b>√</b>	<b>√</b>	<b>_</b>
Algebraic multigrid (AMG) solver for CFD			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>_</b>
Transport of diluted species in porous media and fractures			<b>√</b>	<b>1</b>	<b>√</b>	<b>√</b>	<b>_</b>
Generalized multiphysics interface for fluid-structure interaction (FSI)			<b>√</b>	<b>1</b>	<b>√</b>	<b>√</b>	
Inlet boundary conditions for fully developed turbulent flow			<b>√</b>	<b>1</b>	<b>√</b>	<b>√</b>	<b>_</b>
Realizable k-ε turbulence model			<b>√</b>	<b>1</b>	<b>√</b>	<b>√</b>	
Buoyancy-driven turbulence			<b>√</b>	<b>1</b>	<b>√</b>	<b>√</b>	$\checkmark$
All turbulence models made available for multiphase flow			<b>√</b>	<b>1</b>	<b>√</b>	<b>√</b>	
Rotating machinery interfaces made available for all flow interfaces			<b>√</b>	<b>1</b>	<b>√</b>	<b>√</b>	$\checkmark$
Large eddy simulation (LES) for single-phase flow				<b>1</b>	<b>√</b>	<b>√</b>	
Phase transport in free and porous media				<b>1</b>	<b>√</b>	<b>√</b>	$\checkmark$
Fully developed flow at inlets and outlets for turbulent flow				<b>1</b>	<b>√</b>	<b>√</b>	
Non-Newtonian yield-stress fluids: Bingham-Papanastasiou, Casson-Papanastasiou models, amd Herschel-Bulkley-Papanastasiou				<b>√</b>	<b>√</b>	<b>√</b>	<b>✓</b>
NEW Product: Porous Media Flow Module					$\checkmark$	$\checkmark$	$\checkmark$
Viscoelastic flow					<b>√</b>	<b>√</b>	<b>V</b>
Compressible Euler equations					<b>√</b>	<b>√</b>	<b>V</b>
Phase transport mixture model for arbitrary number of dispersed phases					<b>√</b>	<b>√</b>	<b>✓</b>
Nonisothermal large eddy simulation (LES)					<b>√</b>	<b>√</b>	<b>V</b>

FLUID FLOW	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
Continuity and Initial Interface pair features					<b>√</b>	<b>√</b>	$\checkmark$
Inelastic non-Newtonian constitutive relations					<b>√</b>	<b>√</b>	<b>√</b>
Interior Slip Wall feature					<b>√</b>	<b>√</b>	<b>√</b>
Reacting flow in porous media					<b>√</b>	<b>√</b>	<b>√</b>
Heat transfer in fractures					<b>√</b>	<b>√</b>	<b>√</b>
Non-Darcian flow					<b>√</b>	<b>√</b>	<b>√</b>
Mechanical analysis of pipes					<b>√</b>	<b>√</b>	<b>√</b>
NEW Product: Polymer Flow Module						<b>√</b>	<b>√</b>
Combined separated and dispersed multiphase flow						<b>√</b>	<b>√</b>
Compressible dispersed multiphase flow						<b>√</b>	<b>√</b>
Nonisothermal multiphase mixture model						<b>√</b>	<b>√</b>
Shallow water equations interface						<b>√</b>	<b>√</b>
Droplet evaporation for particle tracing						<b>√</b>	<b>√</b>
Improved LES with automatic wall treatment and thermal wall functions							<b>√</b>
High-Mach-number-flow analysis for rotating machinery							<b>√</b>
Curing of thermosetting resins							<b>√</b>
Phase separation in rotating machinery with multiple dispersed phases							<b>√</b>
Two-phase flow in porous media for the Brinkman equations with level sets							<b>√</b>
Multiphysics interface for nonisothermal flow in porous media							<b>√</b>

CHEMICAL	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
Surface reactions	✓	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	
Reacting flow	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
AC impedance spectroscopy	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>_</b>
NEW Product: Electrodeposition Module	✓	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
NEW Product: Corrosion Module	✓	$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
NEW Product: Electrochemistry Module	✓	$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Multiscale simulations for packed bed reactors		$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Equilibrium reactions		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Multiphysics interface for hygroscopic swelling with species transport		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Nonspherical catalytic pellet shapes		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Thin insulating sheets for corrosion simulations		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>_</b>
Nernst-Planck-Poisson equations interface			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Electrophoretic transport interface			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Primary and secondary current distribution based on the boundary element method (BEM)			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
A built-in thermodynamic properties library			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Link between Reaction Engineering interface and thermodynamic property packages			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Electrode reactions on thin electrode surfaces fully immersed in electrolyte			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
New Lithium-Ion Battery Designer application for optimizing batteries for specific use cases			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Updated Thermodynamics interface				<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Partition condition for prescribing the ratio between concentrations in two adjacent phases				$\checkmark$	$\checkmark$	<b>√</b>	<b>✓</b>
Lumped battery interface				$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Stress and strain in electrode particles due to lithium intercalation				<b>√</b>	<b>√</b>	$\checkmark$	$\checkmark$
Equivalent circuit modeling of batteries				$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
Level set interface for corrosion modeling				<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
Generate materials from a thermodynamic system					<b>√</b>	<b>√</b>	<b>√</b>
Generate a Chemistry interface from a thermodynamic system					<b>√</b>	<b>√</b>	<b>√</b>
Diffusivity models for gases and liquids					<b>√</b>	<b>√</b>	<b>V</b>
Water and steam properties					<b>√</b>	<b>√</b>	<b>V</b>

CHEMICAL	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
Single-ion conductor charge balance for solid-state batteries					<b>√</b>	<b>√</b>	$\checkmark$
Lumped Battery interface improvements					<b>√</b>	<b>√</b>	$\checkmark$
Equilibrium potential calculation using the Nernst Equation					<b>√</b>	<b>√</b>	$\checkmark$
Concentration-dependent Butler-Volmer kinetics					<b>√</b>	<b>√</b>	$\checkmark$
Electrode reactions for Batteries & Fuel Cells					<b>√</b>	<b>√</b>	$\checkmark$
Current Distribution, Pipe interface					<b>√</b>	<b>√</b>	$\checkmark$
NEW Product: Fuel Cell & Electrolyzer Module						<b>√</b>	$\checkmark$
Material library for corrosion						<b>√</b>	$\checkmark$
Realistic fluid models for dry air, moist air, and water-steam mixtures						<b>√</b>	$\checkmark$
Automatic reaction balancing						<b>√</b>	<b>√</b>
Reactive pellet beds for concentrated solutions						<b>√</b>	$\checkmark$
Multiphysics interface for nonisothermal reacting flow							$\checkmark$
Porous catalyst feature for heterogeneous reactions and adsorption							$\checkmark$
Turbulent reacting flow with diluted species							<b>√</b>
Stresses and strains due to lithium intercalation in lithium-ion batteries							$\checkmark$
Event sequences for easier modeling of multistep charge/discharge cycles							$\checkmark$
New material library for fuel cells and electrolyzers							<b>√</b>
Transport of species across fuel cell and electrolyzer membranes							<b>1</b>
New interface for cathodic protection							$\checkmark$

OPTIMIZATION	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
Parameter optimization	✓	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Design optimization	✓	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Gradient-based and derivative-free optimization study	✓	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>	<b>√</b>	<b>1</b>
Multianalysis optimization		<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>	<b>1</b>	<b>_</b>
New least square fitting method		<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>	<b>√</b>	<b></b>
Combined parametric sweeps with derivative-free optimization				<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Easier shape optimization setup					<b>√</b>	<b>√</b>	<b>1</b>
Filter dataset for creating smooth topology optimization mesh					<b>√</b>	<b>√</b>	<b>1</b>
Compute confidence intervals for parameter estimation					<b>√</b>	<b>√</b>	<b>1</b>
Built-in shape optimization tools						<b>√</b>	<b>1</b>
Built-in topology optimization tools						<b>√</b>	<b>1</b>
New interface for parameter estimation							<b>1</b>
UNCERTAINTY QUANTIFICATION	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
NEW Product: Uncertainty Quantification Module							<b>1</b>
Parameter screening							<b></b>

Global sensitivity analysis
Uncertainty propagation

Reliability analysis

Design of experiments

PARTICLE TRACING	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
NEW Product: Particle Tracing Module	✓	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Secondary emission	✓	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Particle-particle interactions	✓	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Particle-field and fluid-particle interactions	✓	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Space-charge limited emission		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Particle-matter interactions		<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Periodic boundary condition for particle tracing			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Rotating frames for particle tracing			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Symmetry boundary condition for particle tracing			<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>1</b>
Accumulators for velocity reinitialization to compute, for example, spatial density of collisions				<b>√</b>	$\checkmark$	$\checkmark$	<b>√</b>
Faster particle tracing with coupled fields					$\checkmark$	$\checkmark$	$\checkmark$
Virtual mass and pressure gradient forces					<b>√</b>	<b>√</b>	<b>1</b>
Particle size distributions					<b>√</b>	<b>√</b>	<b>1</b>
Particle charging for fluid flow					<b>√</b>	<b>√</b>	<b>√</b>
New tools for corona discharge in electrostatic precipitators					<b>√</b>	<b>√</b>	<b>√</b>
Droplet evaporation						<b>√</b>	<b>√</b>
Particle-matter interaction with absorbed dose of ions							<b>1</b>
Heat transfer between particles and surrounding fluid							<b>√</b>
LIQUID & GAS PROPERTIES	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
NEW Product: Liquid & Gas Properties Module						<b>√</b>	<b></b>
Realistic fluid and fluid mixture properties						<b>√</b>	<b>√</b>

INTERFACING	4.2-4	5.0-2	5.3	5.4	5.5	5.6	6.0
NEW Product: LiveLink™ for AutoCAD®	<b>√</b>	$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
LiveLink <sup>™</sup> for SOLIDWORKS®: one-window interface	<b>√</b>	$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
NEW Product: LiveLink™ for PTC® Creo® Parametric™	<b>√</b>	$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
NEW Product: LiveLink™ for Excel®	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
NEW Product: ECAD Import Module	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
NEW Product: LiveLink™ for Solid Edge®	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
LiveLink <sup>™</sup> for Inventor®: one-window interface	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
NEW Product: LiveLink™ for Revit®	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	$\checkmark$
NEW Product: Design Module	<b>√</b>	<b>1</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
NEW Product: LiveLink™ for Simulink®						<b>√</b>	<b>√</b>